

LAZER

HIGH PERFORMANCE LIGHTING


TRIPLE-R 850 ELITE GEN2 (E-BOOST MODE)

RAW LUMENS: 8,068 / 1 LUX @ 581m / E-MARK REF: 17.5




TRIPLE-R 850 ELITE (GEN 2)


GENERATED FROM BSI LAMP PHOTOMETRIC TEST DATA: ON ROAD MEASUREMENT DATA



TRIPLE-R 850 ELITE (GEN 2) – E-MARK COMPLIANT MODE

GENERATED FROM BSI LAMP PHOTOMETRIC TEST DATA: ON ROAD MEASUREMENT DATA





TRIPLER

CORROSION RESISTANCE

enhanced by E-Coat pre-treatment

THERMAL CONDUCTIVITY

maximised through CAE optimised heatsink constructed from anodised aluminium

UNBREAKABLE POLYCARBONATE LENS

with lifetime guarantee

VACUUM-METALLISED OPTICS

deliver unparalleled reflectivity for maximised light output

OPTIONAL POSITION LIGHT FUNCTION

included across Standard products. White (Reg 7 approved) and Amber colours.

ROAD-LEGAL CERTIFICATION

allows for electrical connection direct to the vehicle's high beam (and side light) signals.

VERSATILE MOUNTING SYSTEM

fully robust and able to position above or below lamp

DYNAMIC DRIVE MODULATION

maintains optimal light output considering the environmental and thermal conditions of the lamp

HIGH INTENSITY 'PREMIUM BIN' LEDs

maximise illumination levels considering power input.

E-BOOST TECHNOLOGY

enables dual output functionality to also achieve ECE approvals.

HARDCOAT LACQUER

protects against scratches or deterioration of lens condition

SIDE BRACKET MOUNTING


facilitated with concealed threaded point





E-BOOST ON

TRIPLE-R 850 ELITE – E-BOOST MODE



E-BOOST OFF

TRIPLE-R 850 ELITE – E-MARK COMPLIANT MODE



EVILKÖDTERNA



FINLAND
JUSSINMÄKI.NET

